



Kimball[®]
Electronics

1205 Kimball Blvd
Jasper, IN 47546
812-634-4000

Delivery Schedule

EDI Transaction DELFOR

Specifications UN/EDIFACT Standard D.97A

Outbound from Kimball

DELFOR

Delivery schedule message

Message Status=**2**

WARNING! This version of the DELFOR is not upward compatible with versions prior to D96B. DELFOR is a message which is sent from a party who is planning the use or consumption of products to a party who has to plan for the supply of the products. The message gives the requirements regarding details for short term delivery and/or medium to long scheduling for products. The scheduling can be used to authorize manufacturing and or the provision of materials. This is based on the terms and conditions defined in a purchase order or contract.

Not Defined:

<u>Pos</u>	<u>Tag</u>	<u>Segment Name</u>	<u>Status</u>	<u>Repetition</u>	<u>Notes</u>	<u>Usage</u>
0010	UNH	MESSAGE HEADER	M	1	N0/0010	Must use
0020	BGM	BEGINNING OF MESSAGE	M	1	N0/0020	Must use
0030	DTM	DATE/TIME/PERIOD	M	10	N0/0030	Must use
0050		Segment Group 1	C		N0/0050	Used
0060	RFF	REFERENCE	M	<u>10</u> 1	N0/0060	Must use
0080		Segment Group 2	C		N0/0080	Used
0090	NAD	NAME AND ADDRESS	M	<u>99</u> 1	N0/0090	Must use
0190		Segment Group 6	C	9999	N0/0190	Used
0200	GIS	GENERAL INDICATOR	M	1	N0/0200	Must use
0370		Segment Group 12	C		N0/0370	Used
0380	LIN	LINE ITEM	M	1	N0/0380	Must use
0540		Segment Group 15	C	10	N0/0540	Used
0550	QTY	QUANTITY	M	1	N0/0550	Must use
0560	DTM	DATE/TIME/PERIOD	C	2	N0/0560	Used
0570		Segment Group 16	C	10	N0/0570	Used
0580	RFF	REFERENCE	M	1	N0/0580	Must use
0600		Segment Group 17	C	999	N0/0600	Used
0610	SCC	SCHEDULING CONDITIONS	M	<u>999</u>	N0/0610	Must use
0620		Segment Group 18	C	1	N0/0620	Used
0630	QTY	QUANTITY	M	1	N0/0630	Must use
0640	DTM	DATE/TIME/PERIOD	C	<u>2</u> m	N0/0640	Used
0650		Segment Group 19	C		N0/0650	Used
0660	RFF	REFERENCE	M		N0/0660	Must use

UNH MESSAGE HEADER

Pos: 0010

Max: 1

DELFOR version D.97A

Mandatory

Group: N/A Elements: 4

User Option (Usage): Must use

To head, identify and specify a message.

Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>	
UNH010	0062	Message reference number Description: Unique message reference assigned by the sender.	M	an	1/14	Must use	
UNH020	S009	MESSAGE IDENTIFIER Description: Identification of the type, version etc. of the message being interchanged.	M	Comp		Must use	
	0065	Message type identifier Description: Code identifying a type of message and assigned by its controlling agency. All valid standard codes are used.	M	an	1/6	Must use	
	0052	Message type version number Description: Version number of a message type. All valid standard codes are used.	M	an	1/3	Must use	
	0054	Message type release number Description: Release number within the current message type version number (0052). All valid standard codes are used.	M	an	1/3	Must use	
	0051	Controlling agency Description: Code identifying the agency controlling the specification, maintenance and publication of the message type. All valid standard codes are used.	M	an	1/2	Must use	
	0057	Association assigned code Description: Code, assigned by the association responsible for the design and maintenance of the message type concerned, which further identifies the message.	C	an	1/6	Used	
UNH030	0068	Common access reference Description: Reference serving as a key to relate all subsequent transfers of data to the same business case or file.	C	an	1/35	Used	
UNH040	S010	STATUS OF THE TRANSFER Description: Statement that the message is one in a sequence of transfers relating to the same topic.	C	Comp		Used	
	0070	Sequence message transfer number Description: Number assigned by the sender indicating that the message is an addition or change of a previously sent message relating to the same topic.	M	n	1/2	Must use	
1030	UNT	MESSAGE TRAILER sequence message transfer indication Description: Indication used for the first and last message in a sequence of the same type of message relating to the same topic. All valid standard codes are used.	M		1	N0/1030	Must use
						0073	First/last

**DELFOR version
D.97A**



C a 1/1 Used



BGM BEGINNING OF MESSAGE

Pos: 0020 Max: 1
Mandatory
Group: N/A Elements: 3

User Option (Usage): Must use

To indicate the type and function of a message and to transmit the identifying number.

Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
BGM010	C002	DOCUMENT/MESSAGE NAME Description: Identification of a type of document/message by code or name. Code preferred.	C	Comp		Used
	1001	Document/message name, coded Description: Document/message identifier expressed in code.	C	an	1/3	Used
		<u>Code</u> <u>Name</u>				
		241 Delivery schedule				
BGM020	C106	DOCUMENT/MESSAGE IDENTIFICATION Description: Identification of a document/message by its number and eventually its version or revision.	C	Comp		Used
	1004	Document/message number Description: Reference number assigned to the document/message by the issuer.	C	an	1/35	Used
BGM030	1225	Message function, coded Description: Code indicating the function of the message.	C	an	1/3	Used
		<u>Code</u> <u>Name</u>				
		5 Replace				

User Note 1: Data in each transmission replaces all previous requirements (firm or planned) for the listed materials.

DTM DATE/TIME/PERIOD

Element Summary:

Ref Tag Element Name
Pos: 0030 Max: 10
Group: N/A Elements: 1

User Option (Usage): Must use

To specify date, and/or time, or period.

DELFOR version D.97A

	Conditional
--	--------------------

<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>										
DTM010	C507		DATE/TIME/PERIOD Description: Date and/or time, or period relevant to the specified date/time/period type.	M	Comp		Must use						
	2005		Date/time/period qualifier Description: Code giving specific meaning to a date, time or period.	M	an	1/3	Must use						
			<table style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left;"><u>Code</u></th> <th style="text-align: left;"><u>Name</u></th> </tr> </thead> <tbody> <tr> <td>137</td> <td>Document/message date/time</td> </tr> <tr> <td>158</td> <td>Horizon start date</td> </tr> </tbody> </table>	<u>Code</u>	<u>Name</u>	137	Document/message date/time	158	Horizon start date				
<u>Code</u>	<u>Name</u>												
137	Document/message date/time												
158	Horizon start date												
<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>							
	2380	Date/time/period Description: The value of a date, a date and time, a time or of a period in a specified representation.	C	an	1/35	Used							
	2379	Date/time/period format qualifier Description: Specification of the representation of a date, a date and time or of a period.											
		<table style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left;"><u>Code</u></th> <th style="text-align: left;"><u>Name</u></th> </tr> </thead> <tbody> <tr> <td>102</td> <td>CCYYMMDD</td> </tr> </tbody> </table>	<u>Code</u>	<u>Name</u>	102	CCYYMMDD	C	an	1/3	Used			
<u>Code</u>	<u>Name</u>												
102	CCYYMMDD												

Mandatory

Segment Group 1

Pos: 0050 Repeat: 10

Group: 1 Elements: N/A

Segment Group Summary:

<u>Pos</u>	<u>Tag</u>	<u>Segment Name</u>
0060	RFF	REFERENCE

<u>Status</u>	<u>Repetition</u>	<u>Usage</u>
M	1	Must use

Conditional

RFF REFERENCE

Pos: 0060

Group: 1

Elements: 1

User Option (Usage): Must use

To specify a reference.

Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
RFF010	C506	REFERENCE	M	Comp		Must use
1153	Reference qualifier	M an 1/3 Must use				
		Description: Identification of a reference.				
		Description: Code giving specific meaning to a reference segment or a reference number.				
		Code Name				
		ON Order number (purchase)				
<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>

DELFOR version D.97A

	Mandatory	Max: 1
--	------------------	---------------

1154 **Reference number** C an 1/35 Used
Description: Identification number the nature and function
of which can be qualified by an entry in data element
1153 Reference qualifier.

Conditional

Segment Group 2

Pos: 0080 Repeat: 99

Group: 2 Elements: N/A

Segment Group Summary:

<u>Pos</u>	<u>Tag</u>	<u>Segment Name</u>	<u>Status</u>	<u>Repetition</u>	<u>Usage</u>
0090	NAD	NAME AND ADDRESS	M	1	Must use

Max: 1
Mandatory

NAD NAME AND ADDRESS

Pos: 0090

Group: 2 Elements: 2

User Option (Usage): Must use

To specify the name/address and their related function, either by CO82 only and/or unstructured by CO58 or structured by CO80 thru 3207.

Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
NAD010	3035	Party qualifier	M	an	1/3	Must use
		Description: Code giving specific meaning to a party.				
		<u>Code</u>		<u>Name</u>		
		ST		Ship to		
		SU		Supplier		
<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>

DELFOR version D.97A

					Conditional
NAD020	C082	PARTY IDENTIFICATION DETAILS Description: Identification of a transaction party by code.	C	Comp	Used
	3039	Party id. identification Description: Code identifying a party involved in a transaction.	M	an	1/35 Must use
	3055	Code list responsible agency, coded Description: Code identifying the agency responsible for a code list.	C	an	1/3 Used
		<u>Code</u> <u>Name</u> 92 Assigned by buyer or buyer's agent			

Segment Group 6

Pos: 0190 Repeat: 9999

Group: 6 Elements: N/A

Segment Group Summary:

<u>Pos</u>	<u>Tag</u>	<u>Segment Name</u>	<u>Status</u>	<u>Repetition</u>	<u>Usage</u>
------------	------------	---------------------	---------------	-------------------	--------------

DELFOR version D.97A

				Mandatory	Max: 1
0200	GIS	GENERAL INDICATOR	M	1	Must use
0370		Segment Group 12	C	9999	Used

Conditional

GIS GENERAL INDICATOR

Pos: 0200

Group: 6

Elements: 1

User Option (Usage): Must use

To transmit a processing indicator.

Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
GIS010	C529	PROCESSING INDICATOR Description: Type of process indication.	M	Comp		Must use
	7365	Processing indicator, coded Description: Identifies the value to be attributed to indicators required by the processing system.	M	an	1/3	Must use
		<u>Code</u> <u>Name</u>				
		37 Complete information				

Max: 1
Mandatory

Segment Group 12

Pos: 0370 Repeat: 9999

Group: 12 Elements: N/A

Segment Group Summary:

<u>Pos</u>	<u>Tag</u>	<u>Segment Name</u>	<u>Status</u>	<u>Repetition</u>	<u>Usage</u>
0380	LIN	LINE ITEM	M	1	Must use
0540		Segment Group 15	C	10	Used
0600		Segment Group 17	C	999	Used

Conditional

LIN LINE ITEM

Pos: 0380

Group: 12

Elements: 2

User Option (Usage): Must use

To identify a line item and configuration.

Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
LIN010	1082	Line item number Description: Serial number designating each separate item within a series of articles.	C	an	1/6	Used
LIN030	C212	ITEM NUMBER IDENTIFICATION Description: Goods identification for a specified source.	C	Comp		Used
	7140	Item number Description: A number allocated to a group or item.	C	an	1/35	Used
	7143	Item number type, coded Description: Identification of the type of item number.	C	an	1/3	Used

DELFOR version D.97A

		Mandatory	Max: 1
--	--	------------------	---------------

<u>Code</u>	<u>Name</u>
BP	Buyer's part number

Conditional

Segment Group 15

Pos: 0540 Repeat: 10

Group: 15 Elements: N/A

Segment Group Summary:

<u>Pos</u>	<u>Tag</u>	<u>Segment Name</u>	<u>Status</u>	<u>Repetition</u>	<u>Usage</u>
0550	QTY	QUANTITY	M	1	Must use
0560	DTM	DATE/TIME/PERIOD	C	2	Used
0570		Segment Group 16	C	10	Used

QTY QUANTITY

To specify a pertinent quantity.

User Option (Usage): Must use

Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>
		Pos: 0550
		Group: 15 Elements: 1

DELFOR version D.97A

					Max: 1							
			Mandatory									
			<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>						
QTY010	C186	QUANTITY DETAILS Description: Quantity information in a transaction, qualified when relevant.	M	Comp		Must use						
	6063	Quantity qualifier Description: Code giving specific meaning to a quantity.	M	an	1/3	Must use						
		<table border="0"> <tr> <td style="padding-right: 20px;"><u>Code</u></td> <td><u>Name</u></td> </tr> <tr> <td>3</td> <td>Cumulative quantity</td> </tr> <tr> <td>48</td> <td>Received quantity</td> </tr> </table>	<u>Code</u>	<u>Name</u>	3	Cumulative quantity	48	Received quantity				
<u>Code</u>	<u>Name</u>											
3	Cumulative quantity											
48	Received quantity											
<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>						
	6060	Quantity Description: Numeric value of a quantity.	M	n	1/15	Must use						
	6411	Measure unit qualifier Description: Indication of the unit of measurement in which weight (mass), capacity, length, area, volume or other quantity is expressed.	C	an	1/3	Used						

Conditional

Group: 15

Elements: 1

DTM DATE/TIME/PERIOD

User Option (Usage): Used

To specify date, and/or time, or period.

Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
	Pos: 0560	Max: 2				
DTM010	C507	DATE/TIME/PERIOD Description: Date and/or time, or period relevant to the specified date/time/period type.	M	Comp		Must use
	2005	Date/time/period qualifier Description: Code giving specific meaning to a date, time or period.	M	an	1/3	Must use
		Code Name 50 Goods receipt date/time				
<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
	2380	Date/time/period Description: The value of a date, a date and time, a time or of a period in a specified representation.	C	an	1/35	Used
	2379	Date/time/period format qualifier Description: Specification of the representation of a date, a date and time or of a period.				
		Code Name 102 CCYYMMDD				
			C	an	1/3	Used

Conditional

Segment Group 16

Pos: 0570 Repeat: 10

Group: 16 Elements: N/A

Segment Group Summary:

<u>Pos</u>	<u>Tag</u>	<u>Segment Name</u>
0580	RFF	REFERENCE

<u>Status</u>	<u>Repetition</u>	<u>Usage</u>
M	1	Must use

RFF REFERENCE

Max: 1
Mandatory
Pos: 0580
Group: 16 Elements: 1

User Option (Usage): Must use

To specify a reference.

Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
RFF010	C506	REFERENCE	M	Comp		Must use
		Description: Identification of a reference.				
1153	Reference qualifier	M an 1/3				Must use
		Description: Code giving specific meaning to a reference segment or a reference number.				
		Code		Name		
		SI		SID (Shipper's identifying number for shipment)		
<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
1154	Reference number	C an 1/35				Used
		Description: Identification number the nature and function of which can be qualified by an entry in data element 1153 Reference qualifier.				

Conditional

Segment Group 17

Pos: 0600 Repeat: 999

Group: 17 Elements: N/A

Segment Group Summary:

<u>Pos</u>	<u>Tag</u>	<u>Segment Name</u>
0610	SCC	SCHEDULING CONDITIONS
0620		Segment Group 18

<u>Status</u>	<u>Repetition</u>	<u>Usage</u>
M	1	Must use
C	999	Used

SCC SCHEDULING CONDITIONS

Group: 17

Max: 1
Mandatory
Pos: 0610
Elements: 2

User Option (Usage): Must use

To specify scheduling conditions.

Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
SCC010	4017	Delivery plan status indicator, coded Description: Code indicating the level of commitment of schedule information.	M	an	1/3	Must use
		<u>Code</u> <u>Name</u>				
		1 Firm - Once a requirement becomes firm, it will be transmitted again each subsequent week until it has been completed. Any changes within the firm period that may be negotiated may also be reflected in this data				
		2 Commitment for manufacturing and material				
		3 Commitment for material				
		4 Planning/forecast				

Conditional

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
SCC030	C329	PATTERN DESCRIPTION Description: Shipment, delivery or production interval pattern and timing.	C	Comp		Used
	2013	Frequency, coded Description: Code specifying interval grouping of the delivery, production, etc. of the schedule. All valid standard codes are used.	C	an	1/3	Used

Segment Group 18

Pos: 0620 Repeat: 999

Group: 18 Elements: N/A

Segment Group Summary:

<u>Pos</u>	<u>Tag</u>	<u>Segment Name</u>	<u>Status</u>	<u>Repetition</u>	<u>Usage</u>
0630	QTY	QUANTITY	M	1	Must use
0640	DTM	DATE/TIME/PERIOD	C	2	Used
0650		Segment Group 19	C	10	Used

QTY QUANTITY

Max: 1
Mandatory
Pos: 0630
Group: 18 Elements: 1

User Option (Usage): Must use

To specify a pertinent quantity.

Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
QTY010	C186	QUANTITY DETAILS Description: Quantity information in a transaction, qualified when relevant.	M	Comp		Must use
	6063	Quantity qualifier Description: Code giving specific meaning to a quantity.	M	an	1/3	Must use
		Code Name				
		1 Discrete quantity				
		183 No delivery requirement in this instruction				
<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
	6060	Quantity Description: Numeric value of a quantity.	M	n	1/15	Must use
	6411	Measure unit qualifier	C	an	1/3	Used

DELFOR version D.97A

	Conditional
--	-------------

Description: Indication of the unit of measurement in which weight (mass), capacity, length, area, volume or other quantity is expressed.

Conditional

DTM DATE/TIME/PERIOD

Group: 18

Elements: 1

User Option (Usage): Used

To specify date, and/or time, or period.

Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
		Pos: 0640				
		Max: 2				
DTM010	C507	DATE/TIME/PERIOD Description: Date and/or time, or period relevant to the specified date/time/period type.	M	Comp		Must use
	2005	Date/time/period qualifier Description: Code giving specific meaning to a date, time or period.	M	an	1/3	Must use
		Code				
		Name				
		2				Delivery date/time, requested
		160				Authorization date
<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
	2380	Date/time/period Description: The value of a date, a date and time, a time or of a period in a specified representation.	C	an	1/35	Used
	2379	Date/time/period format qualifier Description: Specification of the representation of a date, a date and time or of a period.				
		Code				
		Name				
		102				CCYYMMDD
			C	an	1/3	Used

Segment Group 19

Pos: 0650	Repeat: 10
Conditional	
Group: 19	Elements: N/A

Segment Group Summary:

<u>Pos</u>	<u>Tag</u>	<u>Segment Name</u>
0660	RFF	REFERENCE

<u>Status</u>	<u>Repetition</u>	<u>Usage</u>
M	1	Must use

RFF REFERENCE

Pos: 0660	Max: 1
Mandatory	
Group: 19	Elements: 1

User Option (Usage): Must use

To specify a reference.

Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
RFF010	C506	REFERENCE	M	Comp		Must use
1153	Reference qualifier	M an 1/3				Must use
		Description: Identification of a reference.				
		Description: Code giving specific meaning to a reference segment or a reference number.				
		<u>Code</u>	<u>Name</u>			
		ACJ	Customer material specification number			
<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
1154	Reference number	C an 1/35				Used

Description: Identification number the nature and function of which can be qualified by an entry in data element 1153 Reference qualifier.

User Note 1: *The RFF segment may be used to transmit pertinent Engineering Change Level data which may change during the course of a forecast.*

UNT MESSAGE TRAILER

Pos: 1030

Max: 1

Mandatory
Group: N/A

Elements: 2

User Option (Usage): Must use

To end and check the completeness of a message.

Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
------------	------------	---------------------	---------------	-------------	----------------	--------------

DELFOR version D.97A

UNT010	0074	Number of segments in a message Description: Control count of number of segments in a message.	M	n	1/6	Must use
UNT020	0062	Message reference number Description: Unique message reference assigned by the sender.	M	an	1/14	Must use

Outbound DELFOR Sample Data

UNB+UNOA:2+8126344400HARBT:12+4185TE:12+050315:0949+8++DELFOR++++1'
UNH+1+DELFOR:D:97A:UN' BGM+241+20050315094942+5'
DTM+158:20050315:102' DTM+137:20050315:102' RFF+ON:5500000005'
NAD+SU+40000000:92' NAD+ST+KIKEG01:92' GIS+37' LIN+00010++500-
0123-00K:BP' QTY+48:10000:EA' DTM+50:20041202:102'
RFF+SI:02956879004'
QTY+3:3216000:EA' SCC+2'
QTY+183:0:EA'
DTM+160:20041227:102'
SCC+1++D' QTY+1:4000:EA'
DTM+2:20041222:102'
SCC+4++D' QTY+1:6000:EA'
DTM+2:20050105:102'
SCC+4++D' QTY+1:6000:EA'
DTM+2:20050119:102'
SCC+4++D' QTY+1:6000:EA'
DTM+2:20050202:102'
SCC+4++D' QTY+1:6000:EA'
DTM+2:20050209:102'
SCC+4++D' QTY+1:6000:EA'
DTM+2:20050216:102'
SCC+4++D' QTY+1:6000:EA'
DTM+2:20050302:102'
SCC+4++D'
QTY+1:6000:EA'
DTM+2:20050309:102'
SCC+4++D' QTY+1:6000:EA'
DTM+2:20050316:102'
SCC+4++W' QTY+1:3000:EA'
DTM+2:20050328:102'
SCC+4++W' QTY+1:0:EA'
DTM+2:20050404:102'
SCC+4++W' QTY+1:0:EA'
DTM+2:20050411:102'
SCC+4++W' QTY+1:6000:EA'
DTM+2:20050418:102'
SCC+4++W' QTY+1:6000:EA'
DTM+2:20050425:102'
SCC+4++W' QTY+1:6000:EA'
DTM+2:20050502:102'
SCC+4++W'

Outbound DELFOR Sample Data

QTY+1:9000:EA'
DTM+2:20050509:102'
SCC+4++W' QTY+1:5000:EA'
DTM+2:20050516:102'
SCC+4++W' QTY+1:10000:EA'
DTM+2:20050523:102'
SCC+4++W' QTY+1:6000:EA'
DTM+2:20050606:102'
SCC+4++W' QTY+1:2000:EA'
DTM+2:20050613:102'
LIN+00020++500-0078-00K:BP'
QTY+48:2000:EA'
DTM+50:20041209:102'
RFF+SI:03248914000'
QTY+3:85000:EA' SCC+2'

QTY+183:0:EA'
DTM+160:20041227:102'
SCC+4++D' QTY+1:2000:EA'
DTM+2:20050223:102'
RFF+ACJ:A' SCC+4++D'
QTY+1:2000:EA'
DTM+2:20050316:102'
RFF+ACJ:A' SCC+4++W'
QTY+1:500:EA'
DTM+2:20050328:102'
RFF+ACJ:A' SCC+4++W'
QTY+1:500:EA'
DTM+2:20050404:102'
RFF+ACJ:B' SCC+4++W'
QTY+1:500:EA'
DTM+2:20050411:102'
RFF+ACJ:B' SCC+4++W'
QTY+1:500:EA'
DTM+2:20050418:102'
RFF+ACJ:B' SCC+4++W'
QTY+1:500:EA'
DTM+2:20050425:102'
RFF+ACJ:B' SCC+4++W'
QTY+1:500:EA'
DTM+2:20050502:102'
RFF+ACJ:C' SCC+4++W'
QTY+1:500:EA'
DTM+2:20050509:102'
RFF+ACJ:C' UNT+121+1'
UNZ+1+8'